



VENTILATEUR CENTRIFUGE MINIVENT

MiniVent

MINIVENT CENTRIFUGAL FAN CABINETS



Gamme MiniVent/ MiniVent Range



AVANTAGES

Les caissons de ventilation centrifuges MiniVent sont conçus pour une installation aisée en faux plafonds. Ils s'adaptent parfaitement aux besoins de ventilation des espaces de petites et moyennes surfaces servant aux usages bureautiques et/ ou résidentiels. La gamme MiniVent présente de nombreux avantages, principalement:

- Économie d'énergie grâce aux moteurs à haut rendement.
- Dimensions compactes réduisant l'encombrement dans les faux plafonds.
- Installation facile: raccordement en ligne sur réseau circulaire sans pièces d'adaptation.
- Niveau sonore réduit.

CARACTERISTIQUES

- Matériaux: Ventilateur et caisson en tôle galvanisée avec une protection extérieure en poudre epoxy
- Moteur: 220V, monophasé, 50Hz, à 4 pôles
- Installation: sur gaines rondes ou rectangulaires.
- Options: Coupe courant étanche.
Isolation phonique.

APPLICATIONS

Air neuf et extraction

DESIGNATION

MiniVent XXX

MiniVent : Caisson de ventilation compacte MiniVent
XXX : diamètre de la turbine en mm (150, 180 ou 200)

FEATURES

MiniVent centrifugal ventilation cabinets are specially designed for easy installation in ceiling voids. They are perfectly suited for the ventilation needs of small and medium-sized spaces such as office buildings and/ or residential dwellings.

MiniVent fan cabinets have many advantages, mainly:

- Energy saving thanks to high efficiency motors
- Compact dimensions installation space
- Easy installation: in line installation to round duct with no special fittings
- Reduced noise level.

SPECIFICATIONS

- Materials : fan and cabinet are made of galvanized steel sheet with outer epoxy coating.
- Motory : 220V, Single phase, 50Hz, 4 poles
- Installation: In Line, round or rectangular ducts.
- Optional: Power switch.
Sound insulation.

APPLICATIONS


Fresh air and exhaust

MODEL NAME DESCRIPTION

MiniVent XXX

MiniVent : MiniVent fan cabinet
XXX : fan diameter in mm (150, 180 or 200)

DIMENSIONS ET ALIMENTATION ELECTRIQUE



DIMENSIONS AND ELECTRICAL SPECIFICATIONS

Dimensions (mm)	MiniVent			
	133	150	180	200
L- mm	500	500	575	620
W- mm	320	320	370	385
H- mm	225	225	325	325
Ø- mm	160	200	250	250
Voltage	220V-50Hz	220V-50Hz	220V-50Hz	220V-50Hz
Power	95W	120W	180W	195W


Notes:

- Dimensions peuvent être modifiées sans préavis;
- Dimensions subject to change without prior notice


COURBES CARACTERISTIQUES

PERFORMANCE CURVES


MiniVent 133 - 4P- 60dBA



MiniVent 150 - 4P- 60dBA



MiniVent 180 - 4P- 65dBA



MiniVent 200 - 4P- 68dBA

